

6

Notice of Allowability	Application No.	Applicant(s)	
	10/643,719	GOFF ET AL.	
	Examiner	Art Unit	
	Daniel C Crane	3725	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--
 All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Amendment filed March 11, 2005.
2. ☒ The allowed claim(s) is/are 1-4,6-13 and 16-20.
3. ☒ The drawings filed on 22 December 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|---|
| 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input checked="" type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date <u>3/29/05</u> . |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Joel Skinner, Jr. on March 29, 2005.

IN THE SPECIFICATION

Page 7, line 10, "apparatus" has been changed to --aperture--.

IN THE CLAIMS

Claim 11, line 6 (last line), "apparatus" has been changed to --aperture--.

Claim 20, line 10, "apparatus" has been changed to --aperture--.

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: One reason for allowance is that the prior art of record, particularly the reference to Verbeek (5,951,540), does not show a swaging apparatus where the segments movably coupled to one another and centrally arranged with respect to a circumferential base and connected to the base by a radial flexure constructed as a beam with the central beam axis aligned with the central swaging aperture. The

Art Unit: 3725

embodiment shown in Figure 5 of Verbeek shows that the segments 230a-d are movably coupled to one another by radially extending beams 240a but does not show that the segments are centrally arranged with respect to a circumferential base and connected thereto by a radial flexure beam.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


INQUIRIES

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner D. Crane whose telephone number is (571) 272-4516. The examiner's office hours are 6:30 AM – 5:00 PM, Tuesday through Friday. The examiner's supervisor, Mr. Derris Banks, can be reached at (571) 272-4419.

Art Unit: 3725

Documents related to the instant application may be submitted directly by facsimile transmission at all times. The Examiner's Fax number is **(571) 273-4516**. Applicant(s) is(are) reminded to clearly mark any transmission as "DRAFT" if it is **not** to be considered as an official response. The Office Facsimile Center number is **(703) 872-9306**.

DCCrane
March 30, 2005

A handwritten signature in black ink, appearing to read 'D. Crane', written over the printed name.

Daniel C. Crane
Primary Patent Examiner
Group Art Unit 3725